



Dart Aerospace Ltd.
1270 Aberdeen St
Hawkesbury, ON
K6A 1K7
Canada

Tel (613) 632-5200
Fax 613 632-5246

D2573

Job Sheet 197161



Part No: D2573

Job Qty: 12 pcs

Part Name: Saddle, Aft, Out



Part Weight: 0 lbs

Status: New

Priority: Medium

Job Created: 7/2/19

Job Tracking No:

Due Date: 7/26/19

Created By: Marie Lajeunesse

Type: Stock

Description:

Note: DWG REV F IPP: I As Per RevE 06-01-27 JLM

Ship Via:

Bill of Materials

Job Routing

Op No	Operation	Qty	Start Date	Due Date	Standard		Workcenter/Supplier		Sign-off
					Setup Hrs	Run Hrs	Workcenter / Supplier	Lead Time	
90	Machining - Issue SN	12 pcs	7/26/19		0.00	0.00	HAAS - 1		SBC / VAS 19/7/24
							HAAS - 2		
							HAAS - 3		
							HAAS - 4		
100	HAAS 4 Axis - B4B	12 pcs	7/26/19		1.00	19.35	HAAS - 1 - B4B		VAS 19/7/24
							HAAS - 2 - B4B		
							HAAS - 3 - B4B		
							HAAS - 4 - B4B		
110	Conventional Mill - 1 - B4B	12 pcs	7/26/19		0.00	2.00	Conventional Mill - 1 - B4B		VAS 19/7/24
							Conventional Mill - 2 - B4B		
120	QC 2	12 pcs	7/26/19		0.00	0.00	QC 2 - 1		VAS 19/7/24
							QC 2 - 12		
							QC 2 - 14		
							QC 2 - 17		
							QC 2 - 19		
							QC 2 - 2		
							QC 2 - 20		
							QC 2 - 22		
							QC 2 - 23		
							QC 2 - 25		
							QC 2 - 32		
							QC 2 - 33		
							QC 2 - 35		
							QC 2 - 39		
							QC 2 - 4		
							QC 2 - 40		
							QC 2 - 44		
							QC 2 - 45		
							QC 2 - 48		
							QC 2 - 49		



Dart Aerospace Ltd.
1270 Aberdeen Street
Hawkesbury, ON K6A 1K7
CANADA
TEL.: 1 613 632-5200
Email: sales@dartaero.com
www.dartaerospace.com

Container No: S199248



Part: D2573

Job No: 197161

Serial No/Batch: S199248

Revision:

Inspector:

Exp Date:

Instructions: Various STC's

Date: 07/19/19

						Handfinish - 1 - 16 - B4B	
						Handfinish - 1 - 17 - B4B	
						Handfinish - 1 - 18 - B4B	
						Handfinish - 1 - 19 - B4B	
						Handfinish - 1 - 20 - B4B	
						Handfinish - 1 - 21 - B4B	
						Handfinish - 1 - 22 - B4B	
150	Powdercoat - 1 White Gl(A)- B4B	12 pcs	7/26/19	0.00	0.46	Powdercoat - 1 - B4B	
						Powdercoat - 2 - B4B	
						Powdercoat - 3 - B4B	
						Powdercoat - 4 - B4B	
160	QC 3	12 pcs	7/26/19	0.00	0.00	QC 3 - 10	
						QC 3 - 13	
						QC 3 - 15	
						QC 3 - 17	
						QC 3 - 18	
						QC 3 - 2	
						QC 3 - 28	
						QC 3 - 3	
						QC 3 - 30	
						QC 3 - 34	
						QC 3 - 36	
						QC 3 - 41	
						QC 3 - 51	
						QC 3 - 58	
						QC 3 - 59	
						QC 3 - 68	
						QC 3 - 9	
						QC 3 - 40	
						QC 3 - 19	
						QC 3 - 43	
						QC 3 - 24	
						QC 3 - 61	
						QC 3 - 81	
170	Packaging 3-1 - Stock - B4B	12 pcs	7/26/19	0.00	0.00	Packaging 3 - 1 - B4B	
						Packaging 3 - 2 - B4B	
						Packaging 3 - 3 - B4B	
						Packaging 3 - 4 - B4B	
						Packaging 3 - 5 - B4B	
						Packaging 3 - 6 - B4B	
						Packaging 3 - 7 - B4B	
						Packaging 3 - 8 - B4B	
						Packaging 3 - 9 - B4B	
						Packaging 3 - 10 - B4B	
						Packaging 3 - 11 - B4B	
						Packaging 3 - 12 - B4B	
						Packaging 3 - 13 - B4B	
						Packaging 3 - 14 - B4B	
						Packaging 3 - 15 - B4B	
						Packaging 3 - 16 - B4B	
						Packaging 3 - 17 - B4B	
						Packaging 3 - 18 - B4B	
						Packaging 3 - 19 - B4B	

				Packaging 3 - 20 - B4B	
				Packaging 3 - 21 - B4B	
				Packaging 3 - 22 - B4B	
				Packaging 3 - 23 - B4B	
				Packaging 3 - 24 - B4B	
				Packaging 3 - 25 - B4B	
				Packaging 3 - 26 - B4B	
				Packaging 3 - 27 - B4B	
				Packaging 3 - 28 - B4B	
				Packaging 3 - 29 - B4B	
				Packaging 3 - 30 - B4B	
				Packaging 3 - 31 - B4B	
				Packaging 3 - 32 - B4B	
				Packaging 3 - 33 - B4B	
				Packaging 3 - 34 - B4B	
				Packaging 3 - 35 - B4B	
				Packaging 3 - 36 - B4B	
180 QC 21 - SA	12 pcs	7/26/19	0.00 0.00	QC 21 - SA - 21	DAS
				QC 21 - SA - 70	21
				QC 21 - SA - 53	9:59

AUG 07 2019

Part Op **100** - (HAAS CNC vertical machine #1) Program Batch No. 5199 248
 Descriptions: **110** - (Manufacture as per dwg) Machine keyway as per dwg D2573 & D2574
120 - QC2- Inspect parts off machine FAI/FAIB
130 - (QC8- Inspect parts - second check)
140 - (Chemical Conversion Coat per QSI005 4.1)
150 - (White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum) START TIME: _____
160 - (QC3- Inspect Part Finish)
170 - (Identify as per dwg & Stock Location: _____)
180 - (QC21- Final Inspection - Work Order Release)

Job BOM

Part / Item	Component Name	Quantity	Operation	Container
D6101-007	Saddle Billet	12 pcs (1 ea)	90-Machining - Issue SN	5196169 x 12

Job Allocations

Operation	Component Part	Required	Inventory	Allocated
90-Machining - Issue SN	D6101-007	12	5	0

Part Specifications

Spec No	Description	Target/Tolerance	Limits	Type	Special Comments
1	Saddle, Aft Outboard	0.438Inches	+ 0.005 - 0.000	0.443 0.438	
2	Saddle, Aft Outboard	1.745Inches	+ 0.010 - 0.000	1.755 1.745	
3	Saddle, Aft Outboard	3.495Inches	+ 0.010 - 0.000	3.505 3.495	
4	Saddle, Aft Outboard	1.745Inches	+ 0.010 - 0.000	1.755 1.745	
5	Saddle, Aft Outboard	7.990Inches	+ 0.020 - 0.000	8.010 7.990	
6	Saddle, Aft Outboard	0.490Inches	+ 0.020 - 0.000	0.510 0.490	
7	Saddle, Aft Outboard	0.257Inches	+ 0.005 - 0.000	0.262 0.257	
8	Saddle, Aft Outboard	0.375Inches	+ 0.005 - 0.000	0.380 0.375	
9	Saddle, Aft Outboard	0.490Inches	+ 0.020 - 0.000	0.510 0.490	
10	Saddle, Aft Outboard	1.174Inches	+ 0.010 - 0.000	1.184 1.174	
11	Saddle, Aft Outboard	0.558Inches	+ 0.020	0.578	

			- 0.000	0.558
12	Saddle, Aft Outboard	1.174Inches	+ 0.010 - 0.000	1.184 1.174
13	Saddle, Aft Outboard	1.365Inches	+ 0.010 - 0.000	1.375 1.365
14	Saddle, Aft Outboard	2.495Inches	+ 0.010 - 0.000	2.505 2.495
15	Saddle, Aft Outboard	4.119Inches	+ 0.010 - 0.000	4.129 4.119
16	Saddle, Aft Outboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
17	Saddle, Aft Outboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
18	Saddle, Aft Outboard	0.240Inches	+ 0.020 - 0.000	0.260 0.240
19	Saddle, Aft Outboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
20	Saddle, Aft Outboard	0.178Inches	+ 0.020 - 0.000	0.198 0.178
21	Saddle, Aft Outboard	3.210Inches	+ 0.040 - 0.000	3.250 3.210
22	Saddle, Aft Outboard	0.230Inches	+ 0.020 - 0.000	0.250 0.230
23	Saddle, Aft Outboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
24	Saddle, Aft Outboard	0.308Inches	+ 0.005 - 0.000	0.313 0.308
25	Saddle, Aft Outboard	0.760Inches	+ 0.005 - 0.000	0.765 0.760
26	Saddle, Aft Outboard	0.352Inches	+ 0.020 - 0.000	0.372 0.352
27	Saddle, Aft Outboard	0.470Inches	+ 0.060 - 0.000	0.530 0.470
28	Saddle, Aft Outboard	0.615Inches	+ 0.020 - 0.000	0.635 0.615
29	Saddle, Aft Outboard	0.053Inches	+ 0.020 - 0.000	0.073 0.053
30	Saddle, Aft Outboard	0.240Inches	+ 0.020 - 0.000	0.260 0.240
31	Saddle, Aft Outboard	1.500Inches	+ 0.020 - 0.000	1.520 1.500
32	Saddle, Aft Outboard	0.115Inches	+ 0.020 - 0.000	0.135 0.115
33	Saddle, Aft Outboard	0.240Inches	+ 0.040 - 0.000	0.280 0.240
34	Saddle, Aft Outboard	0.240Inches	+ 0.020 - 0.000	0.260 0.240
35	Saddle, Aft Outboard	2.000Inches	+ 0.020 - 0.000	2.020 2.000
36	Saddle, Aft Outboard	0.023Inches	+ 0.020 - 0.000	0.043 0.023

Plex 7/2/19 9:59 AM Dart.lajeunesse.marie

Entered: _____ Date: _____



WORK ORDER NON-CONFORMANCE / ROUTE UPDATE

NCR No. _____

Route update only ☐

Job: _____ Part No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐	DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Eng. (Non-AW) ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Engineering ☐ Water Jet ☐ Supplier ☐ Quality ☐			
Date :	Sequence #:	QTY Affected :		MRB (QSI042)	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor	
Root Cause Operator ☐ Manufacturing Process ☐ Equip/Tooling ☐ Handling/Preservation ☐ Material ☐ Product Improvement ☐ Process Improvement ☐ Human Factors ☐		FAULT CATEGORY ☐ Pressure/Forced ☐ Bending ☐ Crushing ☐ Cracks ☐ Crimp/Kink/Ripple/Wave/Twist ☐ Marks/Chatter ☐ Mislabeled ☐ Contamination ☐ Misaligned/off center ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Incomplete/Unclear Instructions ☐ Drill Holes ☐ Fit/Function ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain Direction ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set/Set-up ☐ Positioned Wrong ☐ Outside Tolerance ☐ Drawing ☐ Finish ☐ Part Lost/Missing ☐ Misread			
Other/Details:					

DART AEROSPACE LTD		Work Order: 197 161	
Description: Saddle, Aft Outboard		Part Number: D2573	
Inspection Dwg: D2573 Rev. F		Page 1 of 1	

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				1	2	3	4		
A	0.438	0.443		.438	.438	.438	.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		7.990	8.000	7.990	7.999		
F	0.490	0.510		.501	.501	.501	.500		
G	0.257	0.262		.258	.258	.258	.258		
H	0.375	0.380		.375	.375	.375	.375		
I	0.490	0.510		.501	.500	.501	.500		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		.567	.568	.568	.568		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		.135	.135	.135	.135		
Q	0.115	0.135		.122	.125	.125	.125		
R	0.240	0.260		.250	.250	.250	.251		
S	0.115	0.135		.130	.128	.128	.129		
T	0.178	0.198		.188	.188	.188	.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		.243	.238	.238	.238		
W	0.115	0.135		.129	.130	.131	.129		
X	0.308	0.313		.312	.311	.311	.311		
Y	0.760	0.765		.760	.760	.760	.760		
Z	0.352	0.372		.363	.363	.363	.363		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.626	.626	.627	.626		
AC	0.053	0.073		.064	.068	.065	.066		
AD	0.240	0.260		.254	.249	.249	.249		
AE	1.500	1.520		1.510	1.510	1.510	1.510		
AF	0.115	0.135		.120	.122	.120	.120		
AG	0.240	0.280		.253	.255	.250	.247		
AH	0.240	0.260		.253	.250	.251	.244		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		.033	.033	.033	.033		
Accept/Reject									

Measured by: <u>SBC</u>	Audited by: <u>Amk</u>
Date: <u>19/07/21</u>	Date: <u>19/07/26</u>

Rev	Date	Change	Revised by	Approved
B	02.09.26	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD		Work Order: 197161
Description: Saddle, Aft Outboard		Part Number: D2573
Inspection Dwg: D2573 Rev. F		Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

Dim	Min	Max	Go/No Go Gauge	Recorded Actual Dimensions				By	Date
				#5	#6	#7	#8		
A	0.438	0.443		.438	.438	.438	0.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		7.999	7.999	8.000	8.000		
F	0.490	0.510		.502	.500	.500	0.502		
G	0.257	0.262		.258	.258	.258	.258		
H	0.375	0.380		.375	.375	.375	.375		
I	0.490	0.510		.501	.501	.500	.500		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		.568	.569	.568	.568		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		.135	.135	.133	.132		
Q	0.115	0.135		.125	.125	.125	.125		
R	0.240	0.260		.250	.250	.250	.250		
S	0.115	0.135		.128	.128	.127	.127		
T	0.178	0.198		.188	.188	.188	.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		.238	.238	.239	.238		
W	0.115	0.135		.130	.128	.128	.128		
X	0.308	0.313		.311	.310	.310	0.312		
Y	0.760	0.765		.760	.760	.760	0.760		
Z	0.352	0.372		.364	.364	.364	0.364		
AA	0.470	0.530		.500	.500	.500	.500		
AB	0.615	0.635		.626	.627	.626	0.626		
AC	0.053	0.073		.070	.070	.067	.066		
AD	0.240	0.260		.249	.249	.250	.250		
AE	1.500	1.520		1.510	1.510	1.510	1.510		
AF	0.115	0.135		.120	.120	.120	.120		
AG	0.240	0.280		.250	.250	.255	.255		
AH	0.240	0.260		.251	.250	.250	.250		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		.033	.033	.033	0.033		
Accept/Reject									

Measured by: SBL	Audited by: [Signature]
Date: 19/07/21	Date: 19/07/24

Rev	Date	Change	Revised by	Approved
B	02.09.26	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	

DART AEROSPACE LTD	Work Order: 197 101
Description: Saddle, Aft Outboard	Part Number: D2573
Inspection Dwg: D2573 Rev. F	Page 1 of 1

Inspect dimensions highlighted on inspection sheet drawing D2573 Rev. E and record below:

				Recorded Actual Dimensions				By	Date
Dim	Min	Max	Go/No Go Gauge	#9	#10	#11	#12		
A	0.438	0.443		0.438	0.438	0.438	0.438		
B	1.745	1.755		1.750	1.750	1.750	1.750		
C	3.495	3.505		3.500	3.500	3.500	3.500		
D	1.745	1.755		1.750	1.750	1.750	1.750		
E	7.990	8.010		8.000	8.000	8.000	8.000		
F	0.490	0.510		0.504	0.504	0.504	0.504		
G	0.257	0.262		0.258	0.258	0.258	0.256		
H	0.375	0.380		0.375	0.375	0.375	0.375		
I	0.490	0.510		0.500	0.503	0.504	0.503		
J	1.174	1.184		1.179	1.179	1.179	1.179		
K	0.558	0.578		0.567	0.568	0.569	0.569		
L	1.174	1.184		1.179	1.179	1.179	1.179		
M	1.365	1.375		1.370	1.370	1.370	1.370		
N	2.495	2.505		2.500	2.500	2.500	2.500		
O	4.119	4.129		4.124	4.124	4.124	4.124		
P	0.115	0.135		0.135	0.135	0.135	0.135		
Q	0.115	0.135		0.127	0.126	0.125	0.125		
R	0.240	0.260		0.253	0.251	0.251	0.251		
S	0.115	0.135		0.127	0.127	0.129	0.127		
T	0.178	0.198		0.188	0.188	0.188	0.188		
U	3.210	3.250		3.230	3.230	3.230	3.230		
V	0.230	0.250		0.238	0.237	0.238	0.236		
W	0.115	0.135		0.128	0.1265	0.127	0.128		
X	0.308	0.313		0.312	0.312	0.3125	0.312		
Y	0.760	0.765		0.760	0.760	0.760	0.760		
Z	0.352	0.372		0.364	0.364	0.364	0.3		
AA	0.470	0.530		0.500	0.500	0.500	0.500		
AB	0.615	0.635		0.627	0.627	0.627	0.627		
AC	0.053	0.073		0.067	0.066	0.065	0.067		
AD	0.240	0.260		0.248	0.247	0.248	0.248		
AE	1.500	1.520		1.510	1.510	1.510	1.510		
AF	0.115	0.135		0.120	0.125	0.125	0.125		
AG	0.240	0.280		0.260	0.260	0.260	0.260		
AH	0.240	0.260		0.252	0.258	0.258	0.258		
AI	2.000	2.020		2.000	2.000	2.000	2.000		
AJ	0.023	0.043		0.033	0.033	0.033	0.033		
Accept/Reject									

Measured by: <i>WHS/SEL</i>	Audited by: <i>WHS</i>
Date: 19/7/23	Date: 19/07/26

Rev	Date	Change	Revised by	Approved
B	02.09.26	Re-format; Added Rev. D	KJ	
C	02.10.11	Re-format; Added DT8682, DT8683, DT8684	KJ	
D	05.05.05	Added dimension AI	KJ/RF	
E	05.12.05	Added dimension AJ	KJ/JLM	
F	13.03.07	Dwg Rev updated	KJ	